

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1803	709/202.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:28
L4	4246	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:28
L5	7482	709/224.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:28
L6	2449	709/228.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:28
L18	6818	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:29
L19	955	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol")(@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:29
L20	63	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:29
L21	4246	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L22	14616	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30

L23	6721	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L24	9190	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L25	6818	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L26	5227	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L27	11291	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L28	955	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol")(@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L29	214	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30

L30	249	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L31	1	("7088681").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:30
L32	111	((AAA OR (authentication WITH authorization WITH accounting)) WITH server) (log OR logging or record or store) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:30
L33	1	("20040258031").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L34	1	("20030035409").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L35	1868	((AAA or authentication or authorization) WITH server) RADIUS (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L36	4246	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L37	1536	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L38	183	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L39	161	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L40	105	(AAA) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L41	63	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L42	39	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L43	1	("20020046277").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L44	249	(AAA) RADIUS (log or logging or record) session accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L45	51	(AAA) RADIUS (log or logging or record) session SAME start accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L46	254763	((AAA) RADIUS (log or logging or record) stateless start OR accept (@ad<"20031010") not cisco. as.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L47	6307	((AAA or (authentication with authorization with accounting))) (log or logging or logged) (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L48	15	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L49	90	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit) adj3 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L50	78	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L51	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept) adj2 (record) (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L52	8	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L53	5	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L54	4	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L55	29	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L56	0	("6947725.pn.").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L57	1	("6947725").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L58	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad<"20031010" OR @rlad<"20031010") not cisco.as. "6947725".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L59	4246	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L60	14616	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L61	78	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L62	955	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol")(@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L63	214	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L64	214	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L65	161	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L66	83	RADIUS EAP AAA @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L67	1561	RADIUS AAA @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L68	89	RADIUS AAA ("access-accept") @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L69	143	RADIUS AAA ("access-accept" or "access accept") @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L70	43	RADIUS AAA ("access-accept" or "access accept") (start with session) @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L71	18	RADIUS AAA ("access-accept" or "access accept") (start with session) (log or logging) @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L72	9821	"726"/\$.ccls. @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L73	74	"726"/\$.ccls. RADIUS AAA @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L74	1	("6430619").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L75	1	("7293096").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2010/10/21 14:31
L76	19	RADIUS AAA ("access-accept" or "access accept") ((common or universal or portable or single) with session) (log or logging) @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L77	7	RADIUS AAA ("access-accept" or "access accept") ((common or universal or portable or single) with session) (log or logging) not cisco.as. @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L78	9	RADIUS ("access-accept" or "access accept") (AAA with session) (log or logging) not cisco.as. @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L79	10	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA with session) (log or logging) not cisco.as. @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L80	15	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA SAME session) (log or logging) not cisco.as. @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L81	85	RADIUS ("access-accept" or "access accept") AAA not cisco.as. @ad< "20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L82	4246	709/229.ccls. (@ad< "20031010" OR @lad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L83	4246	709/229.ccls. (@ad< "20031010" OR @lad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L84	15	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad< "20031010" OR @lad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L85	14616	((AAA or authentication or authorization or accounting) WITH server) (@ad< "20031010" OR @lad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L86	5227	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad< "20031010" OR @lad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31

L87	4246	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L88	9190	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L89	63	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L90	10	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA with session) (log or logging) not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L91	18	RADIUS AAA ("access- accept" or "access accept") (start with session) (log or logging) @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
L92	5227	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/10/21 14:31
S1	3171	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:29
S2	10727	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:29
S3	4845	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:31
S4	6545	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:41

S5	4956	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) (@ad< "20031010" OR @rlad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S6	3761	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad< "20031010" OR @rlad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S7	8144	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (@ad< "20031010" OR @rlad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S8	668	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:36
S9	154	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:48
S10	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/26 12:46

S11	1	("7088681").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/25 16:12
S12	82	((AAA OR (authentication WITH authorization WITH accounting)) WITH server) (log OR logging or record or store) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS +" or SAML or "security assertion markup language" or "Diameter")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/26 13:21
S13	1	("20040258031").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/26 14:19
S14	1	("20030035409").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/26 14:19
S15	1288	((AAA or authentication or authorization) WITH server) RADIUS (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:43
S16	3355	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:42
S17	1047	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:44
S18	128	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010")	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:45

S19	112	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:46
S20	70	(AAA) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 14:01
S21	41	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 14:03
S22	31	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:26
S23	1	("20020046277").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/18 14:20
S24	223	(AAA) RADIUS (log or logging or record) session accept (@ad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:29
S25	42	(AAA) RADIUS (log or logging or record) session SAME start accept (@ad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:29
S26	248678	(AAA) RADIUS (log or logging or record) stateless start OR accept (@ad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:48
S27	5291	((AAA or (authentication with authorization with accounting))) (log or logging or logged) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:50

S28	11	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:50
S29	69	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit) adj3 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:55
S30	59	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 16:52
S31	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept) adj2 (record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:07
S32	7	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:10
S33	5	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:12

S34	4	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad< "20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:13
S35	25	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad< "20031010" OR @rlad< "20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:27
S36	0	("6947725.pn.").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/12 17:28
S37	1	("6947725").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/12 17:29
S38	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad< "20031010" OR @rlad< "20031010") not cisco.as. "6947725".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/13 14:36
S39	3707	709/229.ccls. (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/16 16:20
S40	12571	((AAA or authentication or authorization or accounting) WITH server) (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/16 16:20
S41	63	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57

S42	795	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S43	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S44	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S45	128	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad< "20031010" OR @rlad< "20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S46	73	RADIUS EAP AAA @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/27 16:03
S47	1489	RADIUS AAA @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 14:28

S48	82	RADIUS AAA ("access-accept") @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 14:28
S49	133	RADIUS AAA ("access-accept" or "access accept") @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 14:29
S50	41	RADIUS AAA ("access-accept" or "access accept") (start with session) @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S51	16	RADIUS AAA ("access-accept" or "access accept") (start with session) (log or logging) @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S52	9163	"726"/\$.ccls. @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S53	62	"726"/\$.ccls. RADIUS AAA @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S54	1	("6430619").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/29 13:29
S55	1	("7293096").PN.	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/29 13:37
S56	18	RADIUS AAA ("access-accept" or "access accept") ((common or universal or portable or single) with session) (log or logging) @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:31
S57	7	RADIUS AAA ("access-accept" or "access accept") ((common or universal or portable or single) with session) (log or logging) not cisco.as. @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:31
S58	8	RADIUS ("access-accept" or "access accept") (AAA with session) (log or logging) not cisco.as. @ad<"20031010"	US_PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:41

S59	9	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA with session) (log or logging) not cisco.as. @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:42
S60	14	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA SAME session) (log or logging) not cisco.as. @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:43
S61	81	RADIUS ("access-accept" or "access accept") AAA not cisco.as. @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:44
S62	3970	709/229.ccls. (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/01 17:42
S63	3971	709/229.ccls. (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S64	12	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S65	13632	((AAA or authentication or authorization or accounting) WITH server) (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S66	4824	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S67	4102	709/229.ccls. (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:36
S68	8811	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:36

S69	60	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:36
S70	10	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA with session) (log or logging) not cisco. as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:37
S71	17	RADIUS AAA ("access-accept" or "access accept") (start with session) (log or logging) @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:37
S72	5004	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:37

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1913	709/228.ccls. (@ad<"20031010" OR @rlad<"20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L8	5374	709/224.ccls. (@ad<"20031010" OR @rlad<"20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L9	3140	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L10	1453	709/202.ccls. (@ad<"20031010" OR @rlad<"20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L11	446	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol")(@ad<"20031010" OR @rlad<"20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29

L12	446	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol")(@ad< "20031010" OR @rlad< "20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L13	9	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA SAME session) (log or logging) not cisco.as. @ad< "20031010"	USPAT; UPAD	AND	ON	2010/10/21 14:29
L14	6766	((AAA or authentication or authorization or accounting) WITH server) (@ad< "20031010" OR @rlad< "20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L15	6766	((AAA or authentication or authorization or accounting) WITH server) (@ad< "20031010" OR @rlad< "20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L16	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept) adj2 (record) (@ad< "20031010" OR @rlad< "20031010")	USPAT; UPAD	AND	ON	2010/10/21 14:29
L17	15	RADIUS AAA ("access-accept" or "access accept") (start with session) (log or logging) @ad< "20031010"	USPAT; UPAD	AND	ON	2010/10/21 14:29

10/21/10 2:38:06 PM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.683918.wsp